




Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Nylon Wearbands



Wear rings are used to prevent metal to metal contact of moving parts in hydraulic and pneumatic cylinders. They also center the piston and rod for optimum seal life. The glass-filled nylon material offers compressive strengths similar to most metals used for this purpose and will ingest contaminants such as metal chips, thus avoiding scoring and seal damage.

Nylon wear bands are easily cut down from larger sizes to fit any size piston or rod. Consult sales for sizes not shown.

Part Number	Outside Diameter B	Width D	Max. Wall C
WB0100-0125-045-N1-B	1	1/8	0.045
WB0100-0187-093-N1-B	1	3/16	0.093
WB0125-0187-093-N1-B	1 1/4	3/16	0.093
WB0125-0250-076-N1-B	1 1/4	1/4	0.076
WB0125-0375-093-N1-B	1.259	3/8	0.093
WB0125-0437-125-N1-B	1 1/4	7/16	0.125
WB0125-1000-125-N1-B	1 1/4	1	0.125
WB0125-1500-062-N1-B	1 1/4	1 1/2	0.062
WB0150-0250-125-N1-B	1 1/2	1/4	0.125
WB0150-0375-125-N1-B	1 1/2	3/8	0.125
WB0153-0250-062-N1-B	1.530	1/4	0.062
WB0153-0250-125-N1-B	1.530	1/4	0.125
WB0167-0500-085-N1-B	1.670	1/2	0.085
WB0168-0187-098-N1-B	1 11/16	3/16	0.098
WB0175-0190-125-N1-B	1 3/4	0.190	0.125
WB0175-0354-128-N1-B	1 3/4	0.354	0.128
WB0175-0375-125-N1-B	1 3/4	3/8	0.125
WB0175-0500-125-N1-B	1 3/4	1/2	0.125
WB0177-0375-093-N1-B	1.771	3/8	0.093
WB0187-0190-125-N1-B	1 7/8	0.190	0.125
WB0187-0193-098-N1-B	1 7/8	0.193	0.098
WB0187-0375-125-N1-B	1 7/8	3/8	0.125
WB0187-0750-125-N1-B	1 7/8	3/4	0.125
WB0200-0187-125-N1-B	2	3/16	0.125
WB0200-0193-098-N1-B	2	0.193	0.098
WB0200-0250-125-N1-B	2	1/4	0.125
WB0200-0266-125-N1-B	2	0.266	0.125

Part Number	Outside Diameter B	Width D	Max. Wall C
WB0200-0312-125-N1-B	2	5/16	0.125
WB0200-0354-128-N1-B	2	0.354	0.128
WB0200-0375-125-N1-B	2	3/8	0.125
WB0200-0500-125-N1-B	2	1/2	0.125
WB0200-0750-125-N1-B	2	3/4	0.125
WB0203-0250-062-N1-B	2.030	1/4	0.062
WB0203-0250-093-N1-B	2.030	1/4	0.093
WB0203-0250-125-N1-B	2.030	1/4	0.125
WB0212-0375-125-N1-B	2 1/8	3/8	0.125
WB0212-0750-125-N1-B	2 1/8	3/4	0.125
WB0218-1000-125-N1-B	2 3/16	1	0.125
WB0218-1500-090-N1-B	2 3/16	1 1/2	0.090
WB0220-0625-187-N1-B	2.207	5/8	0.187
WB0224-0193-098-N1-B	2.242	0.193	0.098
WB0225-0187-125-N1-B	2 1/4	3/16	0.125
WB0225-0250-125-N1-B	2 1/4	1/4	0.125
WB0225-0312-125-N1-B	2 1/4	5/16	0.125
WB0225-0375-125-N1-B	2 1/4	3/8	0.125
WB0225-0500-125-N1-B	2 1/4	1/2	0.125
WB0225-0625-125-N1-B	2 1/4	5/8	0.125
WB0225-0750-125-N1-B	2 1/4	3/4	0.125
WB0237-0500-125-N1-B	2 3/8	1/2	0.125
WB0237-0750-125-N1-B	2 3/8	3/4	0.125
WB0245-1000-125-N1-B	2.450	1	0.125
WB0250-0187-125-N1-B	2 1/2	3/16	0.125
WB0250-0250-125-N1-B	2 1/2	1/4	0.125
WB0250-0312-093-N1-B	2 1/2	5/16	0.093

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Nylon Wearbands Continued

Part Number	Outside Diameter B	Width D	Max. Wall C	Part Number	Outside Diameter B	Width D	Max. Wall C
WB0250-0312-125-N1-B	2 1/2	5/16	0.125	WB0325-0500-125-N1-B	3 1/4	1/2	0.125
WB0250-0375-125-N1-B	2 1/2	3/8	0.125	WB0325-0500-187-N1-B	3 1/4	1/2	0.187
WB0250-0500-125-N1-B	2 1/2	1/2	0.125	WB0325-0750-125-N1-B	3 1/4	3/4	0.125
WB0250-0625-125-N1-B	2 1/2	5/8	0.125	WB0325-1000-125-N1-B	3 1/4	1	0.125
WB0250-0625-125-N1-B	2 1/2	5/8	0.125	WB0325-1500-125-N1-B	3 1/4	1 1/2	0.125
WB0250-0750-125-N1-B	2 1/2	3/4	0.125	WB0327-0625-125-N1-B	3.278	5/8	0.125
WB0250-1000-125-N1-B	2 1/2	1	0.125	WB0328-0250-062-N1-B	3.280	1/4	0.062
WB0253-0250-062-N1-B	2.530	1/4	0.062	WB0328-0250-125-N1-B	3.280	1/4	0.125
WB0253-0250-125-N1-B	2.530	1/4	0.125	WB0337-0750-125-N1-B	3 3/8	3/4	0.125
WB0254-1500-090-N1-B	2.546	1 1/2	0.090	WB0343-1000-125-N1-B	3 7/16	1	0.125
WB0262-0375-125-N1-B	2 5/8	3/8	0.125	WB0350-0212-095-N1-B	3 1/2	0.212	0.095
WB0262-0625-125-N1-B	2 5/8	5/8	0.125	WB0350-0250-125-N1-B	3 1/2	1/4	0.125
WB0262-1186-118-N1-B	2 5/8	1.186	0.118	WB0350-0312-125-N1-B	3 1/2	5/16	0.125
WB0275-0250-125-N1-B	2 3/4	1/4	0.125	WB0350-0370-150-N1-B	3 1/2	0.370	0.150
WB0275-0312-125-N1-B	2 3/4	5/16	0.125	WB0350-0375-125-N1-B	3 1/2	3/8	0.125
WB0275-0375-125-N1-B	2 3/4	3/8	0.125	WB0350-0375-183-N1-B	3 1/2	3/8	0.183
WB0275-0500-125-N1-B	2 3/4	1/2	0.125	WB0350-0437-125-N1-B	3 1/2	7/16	0.125
WB0275-0625-125-N1-B	2 3/4	5/8	0.125	WB0350-0500-095-N1-B	3 1/2	1/2	0.095
WB0275-0750-125-N1-B	2 3/4	3/4	0.125	WB0350-0500-125-N1-B	3 1/2	1/2	0.125
WB0275-1000-125-N1-B	2 3/4	1	0.125	WB0350-0500-187-N1-B	3 1/2	1/2	0.187
WB0285-1000-090-N1-B	2.850	1	0.090	WB0350-0625-125-N1-B	3 1/2	5/8	0.125
WB0287-0625-187-N1-B	2 7/8	5/8	0.187	WB0350-0625-125-N1-B	3 1/2	5/8	0.125
WB0287-1000-125-N1-B	2 7/8	1	0.125	WB0350-0750-093-N1-B	3 1/2	3/4	0.093
WB0295-0375-125-N1-B	2.950	3/8	0.125	WB0350-0750-125-N1-B	3 1/2	3/4	0.125
WB0300-0212-096-N1-B	3	0.212	0.096	WB0350-0870-125-N1-B	3 1/2	0.870	0.125
WB0300-0250-125-N1-B	3	1/4	0.125	WB0350-1000-125-N1-B	3 1/2	1	0.125
WB0300-0312-125-N1-B	3	5/16	0.125	WB0350-1000-187-N1-B	3 1/2	1	0.187
WB0300-0375-125-N1-B	3	3/8	0.125	WB0360-0212-096-N1-B	3.605	0.212	0.096
WB0300-0375-125-N1-B	3	3/8	0.125	WB0360-0625-125-N1-B	3.605	5/8	0.125
WB0300-0500-125-N1-B	3	1/2	0.125	WB0362-0500-125-N1-B	3 5/8	1/2	0.125
WB0300-0625-093-N1-B	3 5/16	5/8	0.093	WB0362-1000-125-N1-B	3 5/8	1	0.125
WB0300-0625-125-N1-B	3	5/8	0.125	WB0375-0250-125-N1-B	3 3/4	1/4	0.125
WB0300-0750-125-N1-B	3	3/4	0.125	WB0375-0312-125-N1-B	3 3/4	5/16	0.125
WB0300-1000-125-N1-B	3	1	0.125	WB0375-0375-125-N1-B	3 3/4	3/8	0.125
WB0306-0625-187-N1-B	3 1/16	5/8	0.187	WB0375-0500-125-N1-B	3 3/4	1/2	0.125
WB0322-0625-125-N1-B	3.220	5/8	0.125	WB0375-0625-125-N1-B	3 3/4	5/8	0.125
WB0325-0212-096-N1-B	3 1/4	0.212	0.096	WB0375-0750-125-N1-B	3 3/4	3/4	0.125
WB0325-0250-125-N1-B	3 1/4	1/4	0.125	WB0375-1000-125-N1-B	3 3/4	1	0.125
WB0325-0312-125-N1-B	3 1/4	5/16	0.125	WB0375-1500-125-N1-B	3 3/4	1 1/2	0.125
WB0325-0375-125-N1-B	3 1/4	3/8	0.125	WB0393-0212-095-N1-B	3.939	0.212	0.095

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Nylon Wearbands Continued

Part Number	Outside Diameter B	Width D	Max. Wall C	Part Number	Outside Diameter B	Width D	Max. Wall C
WB0393-0625-125-N1-B	3.939	5/8	0.125	WB0500-1500-125-N1-B	5	1 1/2	0.125
WB0393-1000-125-N1-B	3 15/16	1	0.125	WB0500-1750-125-N1-B	5	1 3/4	0.125
WB0400-0250-125-N1-B	4	1/4	0.125	WB0503-0375-062-N1-B	5.030	3/8	0.062
WB0400-0312-125-N1-B	4	5/16	0.125	WB0503-0375-125-N1-B	5.030	3/8	0.125
WB0400-0375-125-N1-B	4	3/8	0.125	WB0512-0625-125-N1-B	5 1/8	5/8	0.125
WB0400-0500-125-N1-B	4	1/2	0.125	WB0525-0625-125-N1-B	5 1/4	5/8	0.125
WB0400-0500-187-N1-B	4	1/2	0.187	WB0525-0750-125-N1-B	5 1/4	3/4	0.125
WB0400-0625-125-N1-B	4	5/8	0.125	WB0525-1000-125-N1-B	5 1/4	1	0.125
WB0400-0750-125-N1-B	4	3/4	0.125	WB0525-1500-125-N1-B	5 1/4	1 1/2	0.125
WB0400-0875-187-N1-B	4	7/8	0.187	WB0550-0375-125-N1-B	5 1/2	3/8	0.125
WB0400-1000-125-N1-B	4	1	0.125	WB0550-0500-125-N1-B	5 1/2	1/2	0.125
WB0400-1000-187-N1-B	4	1	0.187	WB0550-0625-125-N1-B	5 1/2	5/8	0.125
WB0402-0354-125-N1-B	4.020	0.354	0.125	WB0550-0750-125-N1-B	5 1/2	3/4	0.125
WB0403-0250-062-N1-B	4.030	1/4	0.062	WB0550-1000-125-N1-B	5 1/2	1	0.125
WB0403-0250-125-N1-B	4.030	1/4	0.125	WB0550-1500-125-N1-B	5 1/2	1 1/2	0.125
WB0425-0312-125-N1-B	4 1/4	5/16	0.125	WB0575-0625-125-N1-B	5 3/4	5/8	0.125
WB0425-0375-125-N1-B	4 1/4	3/8	0.125	WB0575-0750-125-N1-B	5 3/4	3/4	0.125
WB0425-0500-125-N1-B	4 1/4	1/2	0.125	WB0575-0875-125-N1-B	5 3/4	7/8	0.125
WB0425-0625-125-N1-B	4 1/4	5/8	0.125	WB0575-1000-125-N1-B	5 3/4	1	0.125
WB0425-0750-125-N1-B	4 1/4	3/4	0.125	WB0575-1500-125-N1-B	5 3/4	1 1/2	0.125
WB0425-1000-125-N1-B	4 1/4	1	0.125	WB0575-1750-125-N1-B	5 3/4	1 3/4	0.125
WB0425-1500-125-N1-B	4 1/4	1 1/2	0.125	WB0600-0500-125-N1-B	6	1/2	0.125
WB0440-0625-125-N1-B	4.400	5/8	0.125	WB0600-0625-125-N1-B	6	5/8	0.125
WB0450-0312-125-N1-B	4 1/2	5/16	0.125	WB0600-0750-125-N1-B	6	3/4	0.125
WB0450-0375-125-N1-B	4 1/2	3/8	0.125	WB0600-1000-125-N1-B	6	1	0.125
WB0450-0500-125-N1-B	4 1/2	1/2	0.125	WB0600-1500-125-N1-B	6	1 1/2	0.125
WB0450-0625-125-N1-B	4 1/2	5/8	0.125	WB0603-0375-062-N1-B	6.030	3/8	0.062
WB0450-0750-125-N1-B	4 1/2	3/4	0.125	WB0603-0375-125-N1-B	6.030	3/8	0.125
WB0450-1000-125-N1-B	4 1/2	1	0.125	WB0625-0500-125-N1-B	6 1/4	1/2	0.125
WB0475-0375-125-N1-B	4 3/4	3/8	0.125	WB0625-0625-125-N1-B	6 1/4	5/8	0.125
WB0475-0500-125-N1-B	4 3/4	1/2	0.125	WB0625-0750-125-N1-B	6 1/4	3/4	0.125
WB0475-0500-130-N1-B	4 3/4	1/2	0.130	WB0625-1000-125-N1-B	6 1/4	1	0.125
WB0475-0750-125-N1-B	4 3/4	3/4	0.125	WB0625-1500-125-N1-B	6 1/4	1 1/2	0.125
WB0475-1000-125-N1-B	4 3/4	1	0.125	WB0650-0500-125-N1-B	6 1/2	1/2	0.125
WB0487-0750-125-N1-B	4.879	3/4	0.125	WB0650-0750-125-N1-B	6 1/2	3/4	0.125
WB0500-0375-125-N1-B	5	3/8	0.125	WB0650-1000-125-N1-B	6 1/2	1	0.125
WB0500-0500-125-N1-B	5	1/2	0.125	WB0650-1500-125-N1-B	6 1/2	1 1/2	0.125
WB0500-0625-125-N1-B	5	5/8	0.125	WB0675-0500-125-N1-B	6 3/4	1/2	0.125
WB0500-0750-125-N1-B	5	3/4	0.125	WB0675-0625-125-N1-B	6 3/4	5/8	0.125
WB0500-1000-125-N1-B	5	1	0.125	WB0675-1000-125-N1-B	6 3/4	1	0.125

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Nylon Wearbands Continued

Part Number	Outside Diameter B	Width D	Max. Wall C	Part Number	Outside Diameter B	Width D	Max. Wall C
WB0675-1500-125-N1-B	6 3/4	1 1/2	0.125	WB0875-1000-125-N1-B	8 3/4	1	0.125
WB0700-0500-125-N1-B	7	1/2	0.125	WB0900-0500-125-N1-B	9	1/2	0.125
WB0700-0625-125-N1-B	7	5/8	0.125	WB0900-0750-125-N1-B	9	3/4	0.125
WB0700-0750-125-N1-B	7	3/4	0.125	WB0900-1000-125-N1-B	9	1	0.125
WB0700-1000-125-N1-B	7	1	0.125	WB0925-0500-125-N1-B	9 1/4	1/2	0.125
WB0700-1500-125-N1-B	7	1 1/2	0.125	WB0925-1000-125-N1-B	9 1/4	1	0.125
WB0725-0500-125-N1-B	7 1/4	1/2	0.125	WB0950-0500-125-N1-B	9 1/2	1/2	0.125
WB0725-0625-125-N1-B	7 1/4	5/8	0.125	WB0950-0625-125-N1-B	9 1/2	5/8	0.125
WB0725-0750-125-N1-B	7 1/4	3/4	0.125	WB0950-1000-125-N1-B	9 1/2	1	0.125
WB0750-0500-125-N1-B	7 1/2	1/2	0.125	WB0975-1000-125-N1-B	9 3/4	1	0.125
WB0750-0750-125-N1-B	7 1/2	3/4	0.125	WB01000-0750-125-N1-B	10	3/4	0.125
WB0750-1000-125-N1-B	7 1/2	1	0.125	WB01000-1000-125-N1-B	10	1	0.125
WB0775-0500-125-N1-B	7 3/4	1/2	0.125	WB01025-1000-125-N1-B	10 1/4	1	0.125
WB0775-1000-125-N1-B	7 3/4	1	0.125	WB01050-0500-125-N1-B	10 1/2	1/2	0.125
WB0800-0625-125-N1-B	8	5/8	0.125	WB01050-1000-125-N1-B	10 1/2	1	0.125
WB0800-0750-125-N1-B	8	3/4	0.125	WB01100-0312-125-N1-B	11	5/16	0.125
WB0800-1000-125-N1-B	8	1	0.125	WB01100-1000-125-N1-B	11	1	0.125
WB0803-0500-125-N1-B	8.030	1/2	0.125	WB01125-1000-125-N1-B	11 1/4	1	0.125
WB0825-0625-125-N1-B	8 1/4	5/8	0.125	WB01150-0625-125-N1-B	11 1/2	5/8	0.125
WB0825-0750-125-N1-B	8 1/4	3/4	0.125	WB01150-1000-125-N1-B	11 1/2	1	0.125
WB0825-1000-125-N1-B	8 1/4	1	0.125	WB01200-0500-125-N1-B	12	1/2	0.125
WB0850-0500-125-N1-B	8 1/2	1/2	0.125	WB01200-0750-125-N1-B	12	3/4	0.125
WB0850-0625-125-N1-B	8 1/2	5/8	0.125	WB01200-1000-125-N1-B	12	1	0.125
WB0850-0750-125-N1-B	8 1/2	3/4	0.125	WB01300-1000-125-N1-B	13	1	0.125
WB0850-1000-125-N1-B	8 1/2	1	0.125	WB01350-0500-125-N1-B	13 1/2	1/2	0.125

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001