




# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals



Type B Loaded Lip Seals are recommended only for rod seal applications. The high lip interference combined with a beveled lip provide the driest rod sealing of these configurations. The rectangular configuration gives good downstream stability making this seal the standard of the industry. They are manufactured from high quality 90 durometer moly impregnated polyurethane. They are also available in other materials; consult sales office for price and availability.

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>1/8" CROSS SECTION ("C")</b>							
12500125-250B	1/8	3/8	1/4	12501000-187B	1	1 1/4	3/16
12500187-250B	3/16	7/16	1/4	12501000-250B	1	1 1/4	1/4
12500250-250B	1/4	1/2	1/4	12501062-250B	1 1/16	1 5/16	1/4
12500312-250B	5/16	9/16	1/4	12501125-250B	1 1/8	1 3/8	1/4
12500375-187B	3/8	5/8	3/16	12501187-250B	1 3/16	1 7/16	1/4
12500375-250B	3/8	5/8	1/4	12501250-187B	1 1/4	1 1/2	3/16
12500437-250B	7/16	11/16	1/4	12501250-250B	1 1/4	1 1/2	1/4
12500500-125B	1/2	3/4	1/8	12501312-178B	1 5/16	1 9/16	0.178
12500500-250B	1/2	3/4	1/4	12501312-187B	1 5/16	1 9/16	3/16
12500562-250B	9/16	13/16	1/4	12501375-250B	1 3/8	1 5/8	1/4
12500625-187B	5/8	7/8	3/16	12501437-250B	1 7/16	1 11/16	1/4
12500625-250B	5/8	7/8	1/4	12501500-250B	1 1/2	1 3/4	1/4
12500687-250B	11/16	15/16	1/4	12501625-250B	1 5/8	1 7/8	1/4
12500750-125B	3/4	1	1/8	12501750-250B	1 3/4	2	1/4
12500750-250B	3/4	1	1/4	12501875-125B	1 7/8	2 1/8	1/8
12500800-250B	0.800	1.050	1/4	12502000-187B	2	2 1/4	3/16
12500812-125B	13/16	1 1/16	1/13	12502000-250B	2	2 1/4	1/4
12500812-250B	13/16	1 1/16	1/4	12502125-250B	2 1/8	2 3/8	1/4
12500875-187B	7/8	1 1/8	3/16	12502500-250B	2 1/2	2 3/4	1/4
12500875-250B	7/8	1 1/8	1/4	12503625-187B	3 5/8	3 7/8	3/16
12500937-250B	15/16	1 3/16	1/4	12504500-187B	4 1/2	4 3/4	3/16
12501000-156B	1	1 1/4	5/32				
<b>5/32" CROSS SECTION ("C")</b>							
15601500-312B	1 1/2	1 13/16	5/16				
<b>3/16" CROSS SECTION ("C")</b>							
18700312-312B	5/16	11/16	5/16	18701500-375B	1 1/2	1 7/8	3/8
18700437-312B	7/16	13/16	5/16	18701625-312B	1 5/8	2	5/16

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>3/16" CROSS SECTION ("C") continued</b>							
18700500-312B	1/2	7/8	5/16	18701625-375B	1 5/8	2	3/8
18700562-312B	9/16	15/16	5/16	18701750-230B	1 3/4	2 1/8	0.230
18700625-312B	5/8	1	5/16	18701750-312B	1 3/4	2 1/8	5/16
18700687-312B	11/16	1 1/16	5/16	18701750-375B	1 3/4	2 1/8	3/8
18700750-312B	3/4	1 1/8	5/16	18701875-375B	1 7/8	2 1/4	3/8
18700750-375B	3/4	1 1/8	3/8	18701937-281B	1 15/16	2 5/16	9/32
18700812-312B	13/16	1 3/16	5/16	18702000-230B	2	2 3/8	0.230
18700875-312B	7/8	1 1/4	5/16	18702000-312B	2	2 3/8	5/16
18700937-312B	15/16	1 5/16	5/16	18702000-375B	2	2 3/8	3/8
18701000-312B	1	1 3/8	5/16	18702125-187B	2 1/8	2 1/2	3/16
18701062-312B	1 1/16	1 7/16	5/16	18702125-375B	2 1/8	2 1/2	3/8
18701125-187B	1 1/8	1 1/2	3/16	18702250-312B	2 1/4	2 5/8	5/16
18701125-312B	1 1/8	1 1/2	5/16	18702250-375B	2 1/4	2 5/8	3/8
18701187-312B	1 3/16	1 9/16	5/16	18702375-375B	2 3/8	2 3/4	3/8
18701250-250B	1 1/4	1 5/8	1/4	18702375-437B	2 3/8	2 3/4	7/16
18701250-312B	1 1/4	1 5/8	5/16	18702500-250B	2 1/2	2 7/8	1/4
18701250-375B	1 1/4	1 5/8	3/8	18702500-375B	2 1/2	2 7/8	3/8
18701312-187B	1 5/16	1 11/16	3/16	18702625-281B	2 5/8	3	9/32
18701312-312B	1 5/16	1 11/16	5/16	18702625-312B	2 5/8	3	5/16
18701375-312B	1 3/8	1 3/4	5/16	18702625-375B	2 5/8	3	3/8
18701375-375B	1 3/8	1 3/4	3/8	18702750-187B	2 3/4	3 1/8	3/16
18701437-312B	1 7/16	1 13/16	5/16	18702750-375B	2 3/4	3 1/8	3/8
18701500-187B	1 1/2	1 7/8	3/16	18702875-375B	2 7/8	3 1/4	3/8
18701500-250B	1 1/2	1 7/8	1/4	18703000-250B	3	3 3/8	1/4
18701500-312B	1 1/2	1 7/8	5/16	18703000-375B	3	3 3/8	3/8
<b>1/4" CROSS SECTION ("C")</b>							
25000250-375B	1/4	3/4	3/8	25001000-375B	1	1 1/2	3/8
25000353-375B	0.353	0.853	3/8	25001125-375B	1 1/8	1 5/8	3/8
25000437-375B	7/16	15/16	3/8	25001250-375B	1 1/4	1 3/4	3/8
25000478-375B	0.478	0.978	3/8	25001312-375B	1 5/16	1 13/16	3/8
25000500-375B	1/2	1	3/8	25001375-375B	1 3/8	1 7/8	3/8
25000562-375B	9/16	1 1/16	3/8	25001500-250B	1 1/2	2	1/4
25000625-375B	5/8	1 1/8	3/8	25001500-375B	1 1/2	2	3/8
25000687-375B	11/16	1 3/16	3/8	25001625-375B	1 5/8	2 1/8	3/8
25000750-375B	3/4	1 1/4	3/8	25001750-375B	1 3/4	2 1/4	3/8
25000875-375B	7/8	1 3/8	3/8	25001875-375B	1 7/8	2 3/8	3/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>1/4" CROSS SECTION ("C") continued</b>							
25002125-375B	2 1/8	2 5/8	3/8	25005500-375B	5 1/2	6	3/8
25002250-375B	2 1/4	2 3/4	3/8	25005500-562B	5 1/2	6	9/16
25002375-375B	2 3/8	2 7/8	3/8	25005625-562B	5 5/8	6 1/8	9/16
25002500-375B	2 1/2	3	3/8	25005750-562B	5 3/4	6 1/4	9/16
25002562-375B	2 9/16	3 1/16	3/8	25006000-375B	6	6 1/2	3/8
25002625-375B	2 5/8	3 1/8	3/8	25006000-437B	6	6 1/2	7/16
25002750-375B	2 3/4	3 1/4	3/8	25006000-562B	6	6 1/2	9/16
25002875-375B	2 7/8	3 3/8	3/8	25006250-562B	6 1/4	6 3/4	9/16
25003000-375B	3	3 1/2	3/8	25006500-375B	6 1/2	7	3/8
25003000-562B	3	3 1/2	9/16	25006500-562B	6 1/2	7	9/16
25003125-375B	3 1/8	3 5/8	3/8	25006750-375B	6 3/4	7 1/4	3/8
25003250-375B	3 1/4	3 3/4	3/8	25006750-562B	6 3/4	7 1/4	9/16
25003375-375B	3 3/8	3 7/8	3/8	25007000-375B	7	7 1/2	3/8
25003500-375B	3 1/2	4	3/8	25007000-562B	7	7 1/2	9/16
25003625-375B	3 5/8	4 1/8	3/8	25007250-562B	7 1/4	7 3/4	9/16
25003750-375B	3 3/4	4 1/4	3/8	25007500-375B	7 1/2	8	3/8
25003750-562B	3 3/4	4 1/4	9/16	25007500-562B	7 1/2	8	9/16
25004000-375B	4	4 1/2	3/8	25007750-562B	7 3/4	8 1/4	9/16
25004000-562B	4	4 1/2	9/16	25008000-562B	8	8 1/2	9/16
25004062-375B	4 1/16	4 9/16	3/8	25008125-562B	8 1/8	8 5/8	9/16
25004437-375B	4 7/16	4 15/16	3/8	25008250-375B	8 1/4	8 3/4	3/8
25004500-375B	4 1/2	5	3/8	25008250-437B	8 1/4	8 3/4	7/16
25004500-500B	4 1/2	5	1/2	25008250-562B	8 1/4	8 3/4	9/16
25004500-562B	4 1/2	5	9/16	25008500-375B	8 1/2	9	3/8
25004625-250B	4 5/8	5 1/8	1/4	25008500-562B	8 1/2	9	9/16
25004625-562B	4 5/8	5 1/8	9/16	25009500-562B	9 1/2	10	9/16
25004750-375B	4 3/4	5 1/4	3/8	25009750-375B	9 3/4	10 1/4	3/8
25004750-562B	4 3/4	5 1/4	9/16	25009750-562B	9 3/4	10 1/4	9/16
25004875-375B	4 7/8	5 3/8	3/8	25010000-562B	10	10 1/2	9/16
25004875-562B	4 7/8	5 3/8	9/16	25011000-562B	11	11 1/2	9/16
25005000-375B	5	5 1/2	3/8	25011250-562B	11 1/4	11 3/4	9/16
25005000-562B	5	5 1/2	9/16	25012750-562B	12 3/4	13 1/4	9/16
25005250-375B	5 1/4	5 3/4	3/8	25019125-562B	19 1/8	19 5/8	9/16
25005250-562B	5 1/4	5 3/4	9/16	25021750-375B	21 3/4	22 1/4	3/8
25005375-562B	5 3/8	5 7/8	9/16	25022062-375B	22 1/16	22 9/16	3/8
25005437-375B	5 7/16	5 15/16	3/8				

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>.275" CROSS SECTION ("C")</b>							
27501970-500B	1.970	2.520	1/2				
<b>9/32" CROSS SECTION ("C")</b>							
28102250-375B	2 1/4	2 13/16	3/8	28104937-343B	4 15/16	5 1/2	11/32
28102937-500B	2 15/16	3 1/2	1/2	28104937-500B	4 15/16	5 1/2	1/2
28103437-500B	3 7/16	4	1/2	28105937-500B	5 15/16	6 1/2	1/2
28103937-500B	3 15/16	4 1/2	1/2	28106937-500B	6 15/16	7 1/2	1/2
28104437-500B	4 7/16	5	1/2	28108937-500B	8 15/16	9 1/2	1/2
28104687-625B	4 11/16	5 1/4	5/8				
<b>.285" CROSS SECTION ("C")</b>							
28503200-500B	3.200	3.770	1/2				
<b>5/16" CROSS SECTION ("C")</b>							
31200353-375B	0.353	0.977	3/8	31204000-562B	4	4 5/8	9/16
31200750-500B	3/4	1 3/8	1/2	31204125-500B	4 1/8	4 3/4	1/2
31201000-500B	1	1 5/8	1/2	31204125-562B	4 1/8	4 3/4	9/16
31201125-500B	1 1/8	1 3/4	1/2	31204125-625B	4 1/8	4 3/4	5/8
31201250-500B	1 1/4	1 7/8	1/2	31204250-500B	4 1/4	4 7/8	1/2
31201375-500B	1 3/8	2	1/2	31204250-562B	4 1/4	4 7/8	9/16
31201437-500B	1 7/16	2 1/16	1/2	31204375-500B	4 3/8	5	1/2
31201875-500B	1 7/8	2 1/2	1/2	31204375-562B	4 3/8	5	9/16
31202000-500B	2	2 5/8	1/2	31204375-625B	4 3/8	5	5/8
31202000-562B	2	2 5/8	9/16	31204500-625B	4 1/2	5 1/8	5/8
31202125-500B	2 1/8	2 3/4	1/2	31204625-625B	4 5/8	5 1/4	5/8
31202125-625B	2 1/8	2 3/4	5/8	31204750-500B	4 3/4	5 3/8	1/2
31202250-500B	2 1/4	2 7/8	1/2	31204750-625B	4 3/4	5 3/8	5/8
31202375-500B	2 3/8	3	1/2	31205000-625B	5	5 5/8	5/8
31203000-500B	3	3 5/8	1/2	31205125-625B	5 1/8	5 3/4	5/8
31203125-500B	3 1/8	3 3/4	1/2	31205250-625B	5 1/4	5 7/8	5/8
31203250-500B	3 1/4	3 7/8	1/2	31205500-625B	5 1/2	6 1/8	5/8
31203375-500B	3 3/8	4	1/2	31205625-625B	5 5/8	6 1/4	5/8
31203500-500B	3 1/2	4 1/8	1/2	31205750-625B	5 3/4	6 3/8	5/8
31203625-500B	3 5/8	4 1/4	1/2	31206000-625B	6	6 5/8	5/8
31203750-375B	3 3/4	4 3/8	3/8	31206375-625B	6 3/8	7	5/8
31203750-500B	3 3/4	4 3/8	1/2	31206500-625B	6 1/2	7 1/8	5/8
31203750-625B	3 3/4	4 3/8	5/8	31206625-625B	6 5/8	7 1/4	5/8
31203875-500B	3 7/8	4 1/2	1/2	31206750-625B	6 3/4	7 3/8	5/8
31204000-500B	4	4 5/8	1/2	31207000-625B	7	7 5/8	5/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>5/16" CROSS SECTION ("C") continued</b>							
31207250-625B	7 1/4	7 7/8	5/8	31209625-625B	9 5/8	10 1/4	5/8
31207375-625B	7 3/8	8	5/8	31209750-625B	9 3/4	10 3/8	5/8
31207875-625B	7 7/8	8 1/2	5/8	31210375-625B	10 3/8	11	5/8
31208000-625B	8	8 5/8	5/8	31212250-625B	12 1/4	12 7/8	5/8
31208500-625B	8 1/2	9 1/8	5/8	31212500-625B	12 1/2	13 1/8	5/8
31209250-625B	9 1/4	9 7/8	5/8	31215625-625B	15 5/8	16 1/4	5/8
31209375-625B	9 3/8	10	5/8				
<b>3/8" CROSS SECTION ("C")</b>							
37501250-625B	1 1/4	2	5/8	37504000-625B	4	4 3/4	5/8
37501375-625B	1 3/8	2 1/8	5/8	37504125-625B	4 1/8	4 7/8	5/8
37501500-500B	1 1/2	2 1/4	1/2	37504250-375B	4 1/4	5	3/8
37501500-625B	1 1/2	2 1/4	5/8	37504250-500B	4 1/4	5	1/2
37501625-375B	1 5/8	2 3/8	3/8	37504250-625B	4 1/4	5	5/8
37501625-625B	1 5/8	2 3/8	5/8	37504375-625B	4 3/8	5 1/8	5/8
37501750-500B	1 3/4	2 1/2	1/2	37504500-500B	4 1/2	5 1/4	1/2
37501750-625B	1 3/4	2 1/2	5/8	37504500-625B	4 1/2	5 1/4	5/8
37502000-500B	2	2 3/4	1/2	37504625-625B	4 5/8	5 3/8	5/8
37502000-625B	2	2 3/4	5/8	37504750-500B	4 3/4	5 1/2	1/2
37502250-500B	2 1/4	3	1/2	37504750-625B	4 3/4	5 1/2	5/8
37502250-625B	2 1/4	3	5/8	37504875-625B	4 7/8	5 5/8	5/8
37502375-625B	2 3/8	3 1/8	5/8	37505000-500B	5	5 3/4	1/2
37502500-500B	2 1/2	3 1/4	1/2	37505000-625B	5	5 3/4	5/8
37502500-625B	2 1/2	3 1/4	5/8	37505375-625B	5 3/8	6 1/8	5/8
37502625-625B	2 5/8	3 3/8	5/8	37505500-500B	5 1/2	6 1/4	1/2
37502750-500B	2 3/4	3 1/2	1/2	37505500-625B	5 1/2	6 1/4	5/8
37502750-625B	2 3/4	3 1/2	5/8	37505625-625B	5 5/8	6 3/8	5/8
37502875-625B	2 7/8	3 5/8	5/8	37505750-625B	5 3/4	6 1/2	5/8
37503000-500B	3	3 3/4	1/2	37505875-625B	5 7/8	6 5/8	5/8
37503000-625B	3	3 3/4	5/8	37506000-500B	6	6 3/4	1/2
37503500-500B	3 1/2	4 1/4	1/2	37506000-625B	6	6 3/4	5/8
37503500-625B	3 1/2	4 1/4	5/8	37506250-625B	6 1/4	7	5/8
37503625-625B	3 5/8	4 3/8	5/8	37506500-500B	6 1/2	7 1/4	1/2
37503750-500B	3 3/4	4 1/2	1/2	37506500-625B	6 1/2	7 1/4	5/8
37503750-625B	3 3/4	4 1/2	5/8	37506750-500B	6 3/4	7 1/2	1/2
37503875-625B	3 7/8	4 5/8	5/8	37506750-625B	6 3/4	7 1/2	5/8
37504000-500B	4	4 3/4	1/2	37506875-625B	6 7/8	7 5/8	5/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
Thousands of Seals, O-Rings, and U-Cups  
World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>3/8" CROSS SECTION ("C") continued</b>							
37507000-500B	7	7 3/4	1/2	37509250-625B	9 1/4	10	5/8
37507000-625B	7	7 3/4	5/8	37509500-625B	9 1/2	10 1/4	5/8
37507250-500B	7 1/4	8	1/2	37510000-625B	10	10 3/4	5/8
37507250-625B	7 1/4	8	5/8	37510250-500B	10 1/4	11	1/2
37507250-750B	7 1/4	8	3/4	37510250-750B	10 1/4	11	3/4
37507375-500B	7 3/8	8 1/8	1/2	37510500-625B	10 1/2	11 1/4	5/8
37507500-500B	7 1/2	8 1/4	1/2	37510750-625B	10 3/4	11 1/2	5/8
37507500-625B	7 1/2	8 1/4	5/8	37511500-625B	11 1/2	12 1/4	5/8
37507750-500B	7 3/4	8 1/2	1/2	37511750-625B	11 3/4	12 1/2	5/8
37507750-625B	7 3/4	8 1/2	5/8	37511750-750B	11 3/4	12 1/2	3/4
37508000-625B	8	8 3/4	5/8	37512000-625B	12	12 3/4	5/8
37508250-625B	8 1/4	9	5/8	37512250-625B	12 1/4	13	5/8
37508500-625B	8 1/2	9 1/4	5/8	37512750-625B	12 3/4	13 1/2	5/8
37508750-500B	8 3/4	9 1/2	1/2	37513000-625B	13	13 3/4	5/8
37508750-750B	8 3/4	9 1/2	3/4	37513500-625B	13 1/2	14 1/4	5/8
37508875-625B	8 7/8	9 5/8	5/8	37513750-625B	13 3/4	14 1/2	5/8
37509000-625B	9	9 3/4	5/8	37514750-625B	14 3/4	15 1/2	5/8
<b>7/16" CROSS SECTION ("C")</b>							
43701125-500B	1 1/8	2	1/2	43704000-625B	4	4 7/8	5/8
43702250-625B	2 1/4	3 1/8	5/8	43704500-750B	4 1/2	5 3/8	3/4
43702500-625B	2 1/2	3 3/8	5/8	43704750-750B	4 3/4	5 5/8	3/4
43703125-687B	3 1/8	4	11/16	43704875-562B	4 7/8	5 3/4	9/16
43703375-500B	3 3/8	4 1/4	1/2	43705000-750B	5	5 7/8	3/4
43703875-500B	3 7/8	4 3/4	1/2	43719375-500B	19 3/8	20 1/4	1/2
43703875-750B	3 7/8	4 3/4	3/4				
<b>1/2" CROSS SECTION ("C")</b>							
50001125-750B	1 1/8	2 1/8	3/4	50004000-750B	4	5	3/4
50001500-750B	1 1/2	2 1/2	3/4	50004250-750B	4 1/4	5 1/4	3/4
50001750-750B	1 3/4	2 3/4	3/4	50004375-625B	4 3/8	5 3/8	5/8
50002000-750B	2	3	3/4	50004375-750B	4 3/8	5 3/8	3/4
50002500-750B	2 1/2	3 1/2	3/4	50004500-750B	4 1/2	5 1/2	3/4
50003000-750B	3	4	3/4	50004750-750B	4 3/4	5 3/4	3/4
50003250-750B	3 1/4	4 1/4	3/4	50005000-750B	5	6	3/4
50003500-750B	3 1/2	4 1/2	3/4	50005250-500B	5 1/4	6 1/4	1/2
50003750-690B	3 3/4	4 3/4	0.690	50005250-750B	5 1/4	6 1/4	3/4
50003875-750B	3 7/8	4 7/8	3/4	50005500-750B	5 1/2	6 1/2	3/4

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>1/2" CROSS SECTION ("C") continued</b>							
50005750-750B	5 3/4	6 3/4	3/4	50013000-750B	13	14	3/4
50006000-750B	6	7	3/4	50013250-750B	13 1/4	14 1/4	3/4
50006250-750B	6 1/4	7 1/4	3/4	50013500-750B	13 1/2	14 1/2	3/4
50006500-750B	6 1/2	7 1/2	3/4	50014000-750B	14	15	3/4
50006750-750B	6 3/4	7 3/4	3/4	50015000-750B	15	16	3/4
50007000-750B	7	8	3/4	50015500-750B	15 1/2	16 1/2	3/4
50007250-750B	7 1/4	8 1/4	3/4	50016500-750B	16 1/2	17 1/2	3/4
50007750-750B	7 3/4	8 3/4	3/4	50016750-750B	16 3/4	17 3/4	3/4
50008000-750B	8	9	3/4	50017000-750B	17	18	3/4
50008250-750B	8 1/4	9 1/4	3/4	50017500-750B	17 1/2	18 1/2	3/4
50008500-750B	8 1/2	9 1/2	3/4	50018000-750B	18	19	3/4
50009000-750B	9	10	3/4	50019625-750B	19 5/8	20 5/8	3/4
50009250-750B	9 1/4	10 1/4	3/4	50020000-750B	20	21	3/4
50009500-750B	9 1/2	10 1/2	3/4	50024000-750B	24	25	3/4
50010000-750B	10	11	3/4	50024875-750B	24 7/8	25 7/8	3/4
50010250-750B	10 1/4	11 1/4	3/4	50026125-750B	26 1/8	27 1/8	3/4
50010500-750B	10 1/2	11 1/2	3/4	50029000-750B	29	30	3/4
50011000-750B	11	12	3/4	50030750-750B	30 3/4	31 3/4	3/4
50011375-750B	11 3/8	12 3/8	3/4	50034500-750B	34 1/2	35 1/2	3/4
50011500-750B	11 1/2	12 1/2	3/4	50038000-750B	38	39	3/4
50011750-750B	11 3/4	12 3/4	3/4	50038750-750B	38 3/4	39 3/4	3/4
50011875-750B	11 7/8	12 7/8	3/4	50042000-750B	42	43	3/4
50012000-750B	12	13	3/4	50043500-750B	43 1/2	44 1/2	3/4
50012125-750B	12 1/8	13 1/8	3/4	50044125-750B	44 1/8	45 1/8	3/4
50012250-750B	12 1/4	13 1/4	3/4	50047500-750B	47 1/2	48 1/2	3/4
50012500-750B	12 1/2	13 1/2	3/4				
<b>9/16" CROSS SECTION ("C")</b>							
56202375-875B	2 3/8	3 1/2	7/8	56212562-875B	12 9/16	13 11/16	7/8
<b>5/8" CROSS SECTION ("C")</b>							
62502750-1000B	2 3/4	4	1	62505500-1000B	5 1/2	6 3/4	1
62502875-1000B	2 7/8	4 1/8	1	62506000-1000B	6	7 1/4	1
62503250-1000B	3 1/4	4 1/2	1	62506750-1000B	6 3/4	8	1
62503750-1000B	3 3/4	5	1	62507000-1000B	7	8 1/4	1
62504250-1000B	4 1/4	5 1/2	1	62507250-1000B	7 1/4	8 1/2	1
62505000-1000B	5	6 1/4	1	62507500-1000B	7 1/2	8 3/4	1
62505250-1000B	5 1/4	6 1/2	1	62507750-1000B	7 3/4	9	1

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



# Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free  
 Thousands of Seals, O-Rings, and U-Cups  
 World-Class Service since 1976!



## Type B Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	Height D	Part Number	Inside Diameter A	Outside Diameter B	Height D
<b>5/8" CROSS SECTION ("C") continued</b>							
62508187-1000B	8 3/16	9 7/16	1	62512000-1000B	12	13 1/4	1
62508250-1000B	8 1/4	9 1/2	1	62512250-1000B	12 1/4	13 1/2	1
62508500-1000B	8 1/2	10	1	62513500-875B	13 1/2	14 3/4	7/8
62509000-1000B	9	10 1/4	1	62514000-1000B	14	15 1/4	1
62509750-1000B	9 3/4	11	1	62515500-1000B	15 1/2	16 3/4	1
62509875-1000B	9 7/8	11 1/8	1	62517750-1000B	17 3/4	19	1
62510500-750B	10 1/2	11 3/4	3/4	62518750-1000B	18 3/4	20	1
62511250-1000B	11 1/4	12 1/2	1	62519750-1000B	19 3/4	21	1
62511500-1000B	11 1/2	12 3/4	1	62530000-1000B	30	31 1/4	1
62511750-1000B	11 3/4	13	1				
<b>3/4" CROSS SECTION ("C")</b>							
75008000-1250B	8	9 1/2	1 1/4	75014000-1250B	14	15 1/2	1 1/4
75008500-1125B	8 1/2	10	1 1/8	75015625-1250B	15 5/8	17 1/8	1 1/4
75009750-1250B	9 3/4	11 1/4	1 1/4	75017375-1250B	17 3/8	18 7/8	1 1/4
75010000-1250B	10	11 1/2	1 1/4	75017625-1250B	17 5/8	19 1/8	1 1/4
75010500-1000B	10 1/2	12	1	75019000-1250B	19	20 1/2	1 1/4
75011500-1250B	11 1/2	13	1 1/4	75020000-1000B	20	21 1/2	1
75012000-1250B	12	13 1/2	1 1/4	75020000-1250B	20	21 1/2	1 1/4
75012500-1250B	12 1/2	14	1 1/4	75020500-1000B	20 1/2	22	1
75013000-1000B	13	14 1/2	1	75023500-1250B	23 1/2	25	1 1/4
<b>7/8" CROSS SECTION ("C")</b>							
87519937-1375B	19 15/16	20 11/16	1 3/8	87536000-1375B	36	36 3/4	1 3/8
<b>1" CROSS SECTION ("C")</b>							
100012000-1500B	12	14	1 1/2	100024000-1500B	24	26	1 1/2
100016000-1250B	16	18	1 1/4	100026000-1500B	26	28	1 1/2
100017500-1500B	17 1/2	19 1/2	1 1/2	100030000-1500B	30	32	1 1/2
100021250-1500B	21 1/4	23 1/4	1 1/2	100033375-1500B	33 3/8	35 3/8	1 1/2

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001