




Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Standard Loaded Lip Seals



Standard type Loaded Lip Seals can be used as rod or piston seals and are basically square in configuration. They are manufactured from high quality 90 durometer moly-impregnated polyurethane. They are also available in other materials; consult sales office for price and availability.

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
1/8" CROSS SECTION ("C")							
1250062	1/16	5/16	1/8	12501375	1 3/8	1 5/8	1/8
1250093	3/32	11/32	1/8	12501437	1 7/16	1 11/16	1/8
12500125	1/8	3/8	1/8	12501 SW	1 1/2	1 3/4	1/8
12500140	9/64	25/64	1/8	12501562	1 9/16	1 13/16	1/8
12500187	3/16	7/16	1/8	12501625	1 5/8	1 7/8	1/8
12500250	1/4	1/2	1/8	12501687	1 11/16	1 15/16	1/8
12500312	5/16	9/16	1/8	12501750	1 3/4	2	1/8
12500359	23/64	39/64	1/8	12501875	1 7/8	2 1/8	1/8
12500375	3/8	5/8	1/8	12502000	2	2 1/4	1/8
12500437	7/16	11/16	1/8	12502125	2 1/8	2 3/8	1/8
12500500	1/2	3/4	1/8	12502250	2 1/4	2 1/2	1/8
12500531	17/32	25/32	1/8	12502375	2 3/8	2 5/8	1/8
12500562	9/16	13/16	1/8	12502500	2 1/2	2 3/4	1/8
12500625	5/8	7/8	1/8	12502625	2 5/8	2 7/8	1/8
12500687	11/16	15/16	1/8	12502750	2 3/4	3	1/8
12500750	3/4	1	1/8	12502875	2 7/8	3 1/8	1/8
12500812	13/16	1 1/16	1/8	12503000	3	3 1/4	1/8
12500875	7/8	1 1/8	1/8	12503250	3 1/4	3 1/2	1/8
12500906	29/32	1 5/32	1/8	12503500	3 1/2	3 3/4	1/8
12500937	15/16	1 3/16	1/8	12504000	4	4 1/4	1/8
12501000	1	1 1/4	1/8	12504250	4 1/4	4 1/2	1/8
12501062	1 1/16	1 5/16	1/8	12504375	4 3/8	4 5/8	1/8
12501125	1 1/8	1 3/8	1/8	12504500	4 1/2	4 3/4	1/8
12501187	1 3/16	1 7/16	1/8	12504750	4 3/4	5	1/8
12501250	1 1/4	1 1/2	1/8	12505000	5	5 1/4	1/8
12501312	1 5/16	1 9/16	1/8	12505750	5 3/4	6	1/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
5/32" CROSS SECTION ("C")							
15600437	7/16	3/4	5/32	15601187	1 3/16	1 1/2	5/32
15600750	3/4	1 1/16	5/32	15601250	1 1/4	1 9/16	5/32
15600937	15/16	1 1/4	5/32	15601375	1 3/8	1 11/16	5/32
15601000	1	1 5/16	5/32	15602062	2 1/16	2 3/8	5/32
11/16" CROSS SECTION ("C")							
17100562	9/16	29/32	11/64				
3/16" CROSS SECTION ("C")							
18700187	3/16	9/16	3/16	18701937	1 15/16	2 5/16	3/16
18700250	1/4	5/8	3/16	18702000	2	2 3/8	3/16
18700312	5/16	11/16	3/16	18702062	2 1/16	2 7/16	3/16
18700375	3/8	3/4	3/16	18702125	2 1/8	2 1/2	3/16
18700437	7/16	13/16	3/16	18702250	2 1/4	2 5/8	3/16
18700500	1/2	7/8	3/16	18702375	2 3/8	2 3/4	3/16
18700562	9/16	15/16	3/16	18702500	2 1/2	2 7/8	3/16
18700625	5/8	1	3/16	18702625	2 5/8	3	3/16
18700656	21/32	1 1/32	3/16	18702750	2 3/4	3 1/8	3/16
18700687	11/16	1 1/16	3/16	18702875	2 7/8	3 1/4	3/16
18700750	3/4	1 1/8	3/16	18703000	3	3 3/8	3/16
18700812	13/16	1 3/16	3/16	18703125	3 1/8	3 1/2	3/16
18700875	7/8	1 1/4	3/16	18703250	3 1/4	3 5/8	3/16
18700937	15/16	1 5/16	3/16	18703375	3 3/8	3 3/4	3/16
18701000	1	1 3/8	3/16	18703500	3 1/2	3 7/8	3/16
18701062	1 1/16	1 7/16	3/16	18703625	3 5/8	4	3/16
18701125	1 1/8	1 1/2	3/16	18703750	3 3/4	4 1/8	3/16
18701187	1 3/16	1 9/16	3/16	18703875	3 7/8	4 1/4	3/16
18701250	1 1/4	1 5/8	3/16	18704000	4	4 3/8	3/16
18701312	1 5/16	1 11/16	3/16	18704125	4 1/8	4 1/2	3/16
18701375	1 3/8	1 3/4	3/16	18704250	4 1/4	4 5/8	3/16
18701437	1 7/16	1 13/16	3/16	18704375	4 3/8	4 3/4	3/16
18701500	1 1/2	1 7/8	3/16	18704500	4 1/2	4 7/8	3/16
18701562	1 9/16	1 15/16	3/16	18704625	4 5/8	5	3/16
18701625	1 5/8	2	3/16	18704750	4 3/4	5 1/8	3/16
18701687	1 11/16	2 1/16	3/16	18705250	5 1/4	5 5/8	3/16
18701750	1 3/4	2 1/8	3/16	18705687	5 11/16	6 1/16	3/16
18701812	1 13/16	2 3/16	3/16	18705875	5 7/8	6 1/4	3/16
18701875	1 7/8	2 1/4	3/16	18706000	6	6 3/8	3/16

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
3/16" CROSS SECTION ("C") continued							
18706312	6 5/16	6 11/16	3/16				
7/32" CROSS SECTION ("C")							
21800312	5/16	3/4	7/32	21802500	2 1/2	2 15/16	7/32
21800437	7/16	7/8	7/32	21802562	2 9/16	3	7/32
21800562	9/16	1	7/32	21802812	2 13/16	3 1/4	7/32
21800750	3/4	1 3/16	7/32	21803000	3	3 7/16	7/32
21800937	15/16	1 3/8	7/32	21803062	3 1/16	3 1/2	7/32
21801750	1 3/4	2 3/16	7/32	21803437	3 7/16	3 7/8	7/32
21802062	2 1/16	2 1/2	7/32				
1/4" CROSS SECTION ("C")							
25000250	1/4	3/4	1/4	25002125	2 1/8	2 5/8	1/4
25000312	5/16	13/16	1/4	25002250	2 1/4	2 3/4	1/4
25000375	3/8	7/8	1/4	25002375	2 3/8	2 7/8	1/4
25000437	7/16	15/16	1/4	25002500	2 1/2	3	1/4
25000500	1/2	1	1/4	25002625	2 5/8	3 1/8	1/4
25000562	9/16	1 1/16	1/4	25002750	2 3/4	3 1/4	1/4
25000625	5/8	1 1/8	1/4	25002875	2 7/8	3 3/8	1/4
25000687	11/16	1 3/16	1/4	25003000	3	3 1/2	1/4
25000750	3/4	1 1/4	1/4	25003125	3 1/8	3 5/8	1/4
25000812	13/16	1 5/16	1/4	25003250	3 1/4	3 3/4	1/4
25000875	7/8	1 3/8	1/4	25003375	3 3/8	3 7/8	1/4
25000937	15/16	1 7/16	1/4	25003500	3 1/2	4	1/4
25001000	1	1 1/2	1/4	25003625	3 5/8	4 1/8	1/4
25001062	1 1/16	1 9/16	1/4	25003750	3 3/4	4 1/4	1/4
25001093	1 3/32	1 19/32	1/4	25003850	3.850	4.350	1/4
25001125	1 1/8	1 5/8	1/4	25003875	3 7/8	4 3/8	1/4
25001187	1 3/16	1 11/16	1/4	25004000	4	4 1/2	1/4
25001250	1 1/4	1 3/4	1/4	25004125	4 1/8	4 5/8	1/4
25001312	1 5/16	1 13/16	1/4	25004250	4 1/4	4 3/4	1/4
25001375	1 3/8	1 7/8	1/4	25004375	4 3/8	4 7/8	1/4
25001437	1 7/16	1 15/16	1/4	25004500	4 1/2	5	1/4
25001500	1 1/2	2	1/4	2504625	4 5/8	5 1/8	1/4
25001625	1 5/8	2 1/8	1/4	2504750	4 3/4	5 1/4	1/4
25001750	1 3/4	2 1/4	1/4	2504875	4 7/8	5 3/8	1/4
25001875	1 7/8	2 3/8	1/4	2505000	5	5 1/2	1/4
25002000	2	2 1/2	1/4	2505125	5 1/8	5 5/8	1/4

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
1/4" CROSS SECTION ("C") continued							
2505250	5 1/4	5 3/4	1/4	25008750	8 3/4	9 1/4	1/4
2505375	5 3/8	5 7/8	1/4	25009000	9	9 1/2	1/4
2505500	5 1/2	6	1/4	25009250	9 1/4	9 3/4	1/4
2505625	5 5/8	6 1/8	1/4	25009500	9 1/2	10	1/4
2505750	5 3/4	6 1/4	1/4	25009750	9 3/4	10 1/4	1/4
2505875	5 7/8	6 3/8	1/4	25010000	10	10 1/2	1/4
2506000	6	6 1/2	1/4	25010500	10 1/2	11	1/4
2506250	6 1/4	6 3/4	1/4	25010750	10 3/4	11 1/4	1/4
2506500	6 1/2	7	1/4	25010875	10 7/8	11 3/8	1/4
2506750	6 3/4	7 1/4	1/4	25011000	11	11 1/2	1/4
25007000	7	7 1/2	1/4	25011250	11 1/4	11 3/4	1/4
25007125	7 1/8	7 5/8	1/4	25011500	11 1/2	12	1/4
25007250	7 1/4	7 3/4	1/4	25012000	12	12 1/2	1/4
25007437	7 7/16	7 15/16	1/4	25012500	12 1/2	13	1/4
25007500	7 1/2	8	1/4	25013000	13	13 1/2	1/4
25007750	7 3/4	8 1/4	1/4	25013500	13 1/2	14	1/4
25007812	7 13/16	8 5/16	1/4	25014250	14 1/4	14 3/4	1/4
25008000	8	8 1/2	1/4	25019000	19	19 1/2	1/4
25008250	8 1/4	8 3/4	1/4	25024500	24 1/2	25	1/4
25008500	8 1/2	9	1/4				
9/32" CROSS SECTION ("C")							
28100187	3/16	3/4	9/32	28105000	5	5 9/16	9/32
28100687	11/16	1 1/4	9/32	28105437	5 7/16	6	9/32
28102312	2 3/8	2 7/8	9/32	28106437	6 7/16	7	9/32
28102562	2 9/16	3 1/8	9/32	28108500	8 1/2	9 1/16	9/32
28104437	4 7/16	5	9/32				
5/16" CROSS SECTION ("C")							
31200250	1/4	7/8	5/16	31201000	1	1 5/8	5/16
31200375	3/8	1	5/16	31201062	1 1/16	1 11/16	5/16
31200437	7/16	1 1/16	5/16	31201125	1 1/8	1 3/4	5/16
31200500	1/2	1 1/8	5/16	31201187	1 3/16	1 13/16	5/16
31200625	5/8	1 1/4	5/16	31201250	1 1/4	1 7/8	5/16
31200687	11/16	1 5/16	5/16	31201312	1 5/16	1 15/16	5/16
31200750	3/4	1 3/8	5/16	31201375	1 3/8	2	5/16
31200812	13/16	1 7/16	5/16	31201500	1 1/2	2 1/8	5/16
31200875	7/8	1 1/2	5/16	31201625	1 5/8	2 1/4	5/16

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
5/16" CROSS SECTION ("C") continued							
31201687	1 11/16	2 5/16	5/16	31205125	5 1/8	5 3/4	5/16
31201750	1 3/4	2 3/8	5/16	31205250	5 1/4	5 7/8	5/16
31201875	1 7/8	2 1/2	5/16	31205375	5 3/8	6	5/16
31201937	1 15/16	2 9/16	5/16	31205500	5 1/2	6 1/8	5/16
31202000	2	2 5/8	5/16	31205750	5 3/4	6 3/8	5/16
31202125	2 1/8	2 3/4	5/16	31205875	5 7/8	6 1/2	5/16
31202250	2 1/4	2 7/8	5/16	31206000	6	6 5/8	5/16
31202312	2 5/16	2 15/16	5/16	31206125	6 1/8	6 3/4	5/16
31202375	2 3/8	3	5/16	31206250	6 1/4	6 7/8	5/16
31202500	2 1/2	3 1/8	5/16	31206375	6 3/8	7	5/16
31202562	2 9/16	3 3/16	5/16	31206500	6 1/2	7 1/8	5/16
31202625	2 5/8	3 1/4	5/16	31206625	6 5/8	7 1/4	5/16
31202750	2 3/4	3 3/8	5/16	31206750	6 3/4	7 3/8	5/16
31202875	2 7/8	3 1/2	5/16	31207000	7	7 5/8	5/16
31203000	3	3 5/8	5/16	31207250	7 1/4	7 7/8	5/16
31203125	3 1/8	3 3/4	5/16	31207375	7 3/8	8	5/16
31203250	3 1/4	3 7/8	5/16	31207500	7 1/2	8 1/8	5/16
31203375	3 3/8	4	5/16	31207750	7 3/4	8 3/8	5/16
31203500	3 1/2	4 1/8	5/16	31208000	8	8 5/8	5/16
31203625	3 5/8	4 1/4	5/16	31208250	8 1/4	8 7/8	5/16
31203750	3 3/4	4 3/8	5/16	31208500	8 1/2	9 1/8	5/16
31203875	3 7/8	4 1/2	5/16	31208875	8 7/8	9 1/2	5/16
31204000	4	4 5/8	5/16	31209625	9 5/8	10 1/4	5/16
31204125	4 1/8	4 3/4	5/16	31210125	10 1/8	10 3/4	5/16
31204250	4 1/4	4 7/8	5/16	31212000	12	12 5/8	5/16
31204375	4 3/8	5	5/16	31212750	12 3/4	13 3/8	5/16
31204500	4 1/2	5 1/8	5/16	31213375	13 3/8	14	5/16
31204750	4 3/4	5 3/8	5/16	31214250	14 1/4	14 7/8	5/16
31204875	4 7/8	5 1/2	5/16	31214875	14 7/8	15 1/2	5/16
31205000	5	5 5/8	5/16	31215875	15 7/8	16 1/2	5/16
11/32" CROSS SECTION ("C")							
34300750	3/4	1 7/16	11/32	34302312	2 5/16	3	11/32
34301062	1 1/16	1 3/4	11/32	34302500	2 1/2	3 3/16	11/32
34301312	1 5/16	2	11/32	34302687	2 11/16	3 3/8	11/32
34301812	1 13/16	2 1/2	11/32	34309312	9 5/16	10	11/32

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
23/64" CROSS SECTION ("C")							
35900906	29/32	1 5/8	23/64				
3/8" CROSS SECTION ("C")							
37500500	1/2	1 1/4	3/8	37503750	3 3/4	4 1/2	3/8
37500625	5/8	1 3/8	3/8	37503843	3 27/32	4 19/32	3/8
37500750	3/4	1 1/2	3/8	37503875	3 7/8	4 5/8	3/8
37500875	7/8	1 5/8	3/8	37504000	4	4 3/4	3/8
37500937	15/16	1 11/16	3/8	37504062	4 1/16	4 13/16	3/8
37501000	1	1 3/4	3/8	37504125	4 1/8	4 7/8	3/8
37501125	1 1/8	1 7/8	3/8	37504250	4 1/4	5	3/8
37501250	1 1/4	2	3/8	37504375	4 3/8	5 1/8	3/8
37501312	1 5/16	2 1/16	3/8	37504500	4 1/2	5 1/4	3/8
37501375	1 3/8	2 1/8	3/8	37504625	4 5/8	5 3/8	3/8
37501437	1 7/16	2 3/16	3/8	37504750	4 3/4	5 1/2	3/8
37501500	1 1/2	2 1/4	3/8	37504875	4 7/8	5 5/8	3/8
37501562	1 9/16	2 5/16	3/8	37505000	5	5 3/4	3/8
37501625	1 5/8	2 3/8	3/8	37505125	5 1/8	5 7/8	3/8
37501750	1 3/4	2 1/2	3/8	37505250	5 1/4	6	3/8
37501875	1 7/8	2 5/8	3/8	37505375	5 3/8	6 1/8	3/8
37502000	2	2 3/4	3/8	37505500	5 1/2	6 1/4	3/8
37502062	2 1/16	2 13/16	3/8	37505625	5 5/8	6 3/8	3/8
37502125	2 1/8	2 7/8	3/8	37505750	5 3/4	6 1/2	3/8
37502250	2 1/4	3	3/8	37505875	5 7/8	6 5/8	3/8
37502375	2 3/8	3 1/8	3/8	37506000	6	6 3/4	3/8
37502437	2 7/16	3 3/16	3/8	37506250	6 1/4	7	3/8
37502500	2 1/2	3 1/4	3/8	37506500	6 1/2	7 1/4	3/8
37502625	2 5/8	3 3/8	3/8	37506750	6 3/4	7 1/2	3/8
37502687	2 11/16	3 7/16	3/8	37507000	7	7 3/4	3/8
37502750	2 3/4	3 1/2	3/8	37507250	7 1/4	8	3/8
37502875	2 7/8	3 5/8	3/8	37507500	7 1/2	8 1/4	3/8
37502937	2 15/16	3 11/16	3/8	37507625	7 5/8	8 3/8	3/8
37503000	3	3 3/4	3/8	37507750	7 3/4	8 1/2	3/8
37503125	3 1/8	3 7/8	3/8	37508000	8	8 3/4	3/8
37503250	3 1/4	4	3/8	37508250	8 1/4	9	3/8
37503375	3 3/8	4 1/8	3/8	37508500	8 1/2	9 1/4	3/8
37503500	3 1/2	4 1/4	3/8	37508562	8 9/16	9 5/16	3/8
37503625	3 5/8	4 3/8	3/8	37508625	8 5/8	9 3/8	3/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
3/8" CROSS SECTION ("C") continued							
37508687	8 11/16	9 7/16	3/8	37512250	12 1/4	13	3/8
37508750	8 3/4	9 1/2	3/8	37512500	12 1/2	13 1/4	3/8
37509000	9	9 3/4	3/8	37512750	12 3/4	13 1/2	3/8
37509250	9 1/4	10	3/8	37513000	13	13 3/4	3/8
37509500	9 1/2	10 1/4	3/8	37513250	13 1/4	14	3/8
37509750	9 3/4	10 1/2	3/8	37513500	13 1/2	14 1/4	3/8
37509875	9 7/8	10 5/8	3/8	37513750	13 3/4	14 1/2	3/8
37510000	10	10 3/4	3/8	37514000	14	14 3/4	3/8
37510250	10 1/4	11	3/8	37514500	14 1/2	15 1/4	3/8
37510500	10 1/2	11 1/4	3/8	37514750	14 3/4	15 1/2	3/8
37511000	11	11 3/4	3/8	37515000	15	15 3/4	3/8
37511250	11 1/4	12	3/8	37515500	15 1/2	16 1/4	3/8
37511500	11 1/2	12 1/4	3/8	37516250	16 1/4	17	3/8
37511750	11 3/4	12 1/2	3/8	37517250	17 1/4	18	3/8
37512000	12	12 3/4	3/8	37523000 W	23	23 3/4	3/8
13/32" CROSS SECTION ("C")							
40601187	1 3/16	2	13/32	40602187	2 3/16	3	13/32
40601250	1 1/4	2 1/16	13/32	40602687	2 11/16	3 1/2	13/32
40601437	1 7/16	2 1/4	13/32	40607187	7 3/16	8	13/32
40601687	1 11/16	2 1/2	13/32	40613187	13 3/16	14	13/32
40601750	1 3/4	2 9/16	13/32				
7/16" CROSS SECTION ("C")							
43701000	1	1 7/8	7/16	43702875	2 7/8	3 3/4	7/16
43701250	1 1/4	2 1/8	7/16	43703000	3	3 7/8	7/16
43701375	1 3/8	2 1/4	7/16	43703125	3 1/8	4	7/16
43701437	1 7/16	2 5/16	7/16	43703250	3 1/4	4 1/8	7/16
43701500	1 1/2	2 3/8	7/16	43703625	3 5/8	4 1/2	7/16
43701750	1 3/4	2 5/8	7/16	43704000	4	4 7/8	7/16
43701875	1 7/8	2 3/4	7/16	43704500	4 1/2	5 3/8	7/16
43702000	2	2 7/8	7/16	43704750	4 3/4	5 5/8	7/16
43702125	2 1/8	3	7/16	43705125	5 1/8	6	7/16
43702500	2 1/2	3 3/8	7/16	43705500	5 1/2	6 3/8	7/16
1/2" CROSS SECTION ("C")							
50000625	5/8	1 5/8	1/2	50001250	1 1/4	2 1/4	1/2
50001000	1	2	1/2	50001312	1 5/16	2 5/16	1/2
50001125	1 1/8	2 1/8	1/2	50001375	1 3/8	2 3/8	1/2

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
1/2" CROSS SECTION ("C") continued							
50001500	1 1/2	2 1/2	1/2	50007500	7 1/2	8 1/2	1/2
50001750	1 3/4	2 3/4	1/2	50007750	7 3/4	8 3/4	1/2
50001875	1 7/8	2 7/8	1/2	50008000	8	9	1/2
50002000	2	3	1/2	50008125	8 1/8	9 1/8	1/2
50002125	2 1/8	3 1/8	1/2	50008250	8 1/4	9 1/4	1/2
50002250	2 1/4	3 1/4	1/2	50008500	8 1/2	9 1/2	1/2
50002375	2 3/8	3 3/8	1/2	50008750	8 3/4	9 3/4	1/2
50002500	2 1/2	3 1/2	1/2	50009000	9	10	1/2
50002750	2 3/4	3 3/4	1/2	50009500	9 1/2	10 1/2	1/2
50002875	2 7/8	3 7/8	1/2	50009750	9 3/4	10 3/4	1/2
50003000	3	4	1/2	50010000	10	11	1/2
50003250	3 1/4	4 1/4	1/2	50010500	10 1/2	11 1/2	1/2
50003500	3 1/2	4 1/2	1/2	50010750	10 3/4	11 3/4	1/2
50003625	3 5/8	4 5/8	1/2	50010875	10 7/8	11 7/8	1/2
50003750	3 3/4	4 3/4	1/2	50011000	11	12	1/2
50004000	4	5	1/2	50011250	11 1/4	12 1/4	1/2
50004125	4 1/8	5 1/8	1/2	50011375	11 3/8	12 3/8	1/2
50004250	4 1/4	5 1/4	1/2	50011500	11 1/2	12 1/2	1/2
50004312	4 5/16	5 5/16	1/2	50011750	11 3/4	12 3/4	1/2
50004375	4 3/8	5 3/8	1/2	50012000	12	13	1/2
50004500	4 1/2	5 1/2	1/2	50012750	12 3/4	13 3/4	1/2
50004750	4 3/4	5 3/4	1/2	50013000	13	14	1/2
50005000	5	6	1/2	50013250	13 1/4	14 1/4	1/2
50005125	5 1/8	6 1/8	1/2	50014000	14	15	1/2
50005250	5 1/4	6 1/4	1/2	50014500	14 1/2	15 1/2	1/2
50005375	5 3/8	6 3/8	1/2	50014750	14 3/4	15 3/4	1/2
50005437	5 7/16	6 7/16	1/2	50015000	15	16	1/2
50005500	5 1/2	6 1/2	1/2	50015750	15 3/4	16 3/4	1/2
50005750	5 3/4	6 3/4	1/2	50017000	17	18	1/2
50006000	6	7	1/2	50017500	17 1/2	18 1/2	1/2
50006250	6 1/4	7 1/4	1/2	50019000	19	20	1/2
50006375	6 3/8	7 3/8	1/2	50019500	19 1/2	20 1/2	1/2
50006500	6 1/2	7 1/2	1/2	50021000	21	22	1/2
50006750	6 3/4	7 3/4	1/2	50023000	23	24	1/2
50007000	7	8	1/2	50026000	26	27	1/2
50007250	7 1/4	8 1/4	1/2	50026500	26 1/2	27 1/2	1/2

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
Thousands of Seals, O-Rings, and U-Cups
World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
1/2" CROSS SECTION ("C") continued							
50028000	28	29	1/2	50032000	32	33	1/2
50031000	31	32	1/2				
17/32" CROSS SECTION ("C")							
53101625	1 5/8	2 11/16	17/32				
9/16" CROSS SECTION ("C")							
56202500	2 1/2	3 5/8	9/16	56205500	5 1/2	6 5/8	9/16
56202625	2 5/8	3 3/4	9/16	56206750	6 3/4	7 7/8	9/16
56204125	4 1/8	5 1/4	9/16				
5/8" CROSS SECTION ("C")							
62501250	1 1/4	2 1/2	5/8	62506500	6 1/2	7 3/4	5/8
62501750	1 3/4	3	5/8	62506625	6 5/8	7 7/8	5/8
62501812	1 13/16	3 1/16	5/8	62506750	6 3/4	8	5/8
62501875	1 7/8	3 1/8	5/8	62506812	6 13/16	8 1/16	5/8
62502000	2	3 1/4	5/8	62506875	6 7/8	8 1/8	5/8
62502250	2 1/4	3 1/2	5/8	62507000	7	8 1/4	5/8
62502375	2 3/8	3 5/8	5/8	62507750	7 3/4	9	5/8
62502500	2 1/2	3 3/4	5/8	62508000	8	9 1/4	5/8
62502750	2 3/4	4	5/8	62508187	8 3/16	9 7/16	5/8
62502812	2 13/16	4 1/16	5/8	62508250	8 1/4	9 1/2	5/8
62503000	3	4 1/4	5/8	62508500	8 1/2	9 3/4	5/8
62503250	3 1/4	4 1/2	5/8	62508625	8 5/8	9 7/8	5/8
62503375	3 3/8	4 5/8	5/8	62509000	9	10 1/4	5/8
62503500	3 1/2	4 3/4	5/8	62509250	9 1/4	10 1/2	5/8
62503750	3 3/4	5	5/8	62509750	9 3/4	11	5/8
62503875	3 7/8	5 1/8	5/8	62510000	10	11 1/4	5/8
62504000	4	5 1/4	5/8	62510250	10 1/4	11 1/2	5/8
62504250	4 1/4	5 1/2	5/8	62510500	10 1/2	11 3/4	5/8
62504500	4 1/2	5 3/4	5/8	62511000	11	12 1/4	5/8
62504625	4 5/8	5 7/8	5/8	62512000	12	13 1/4	5/8
62504750	4 3/4	6	5/8	62512750	12 3/4	14	5/8
62505000	5	6 1/4	5/8	62513000	13	14 1/4	5/8
62505500	5 1/2	6 3/4	5/8	62514750	14 3/4	16	5/8
62505750	5 3/4	7	5/8	62515000	15	16 1/4	5/8
62506000	6	7 1/4	5/8	62516750	16 3/4	18	5/8
62506031	6 1/32	7 9/32	5/8	62518750	18 3/4	20	5/8
62506250	6 1/4	7 1/2	5/8	62519250	19 1/4	20 1/2	5/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
5/8" CROSS SECTION ("C") continued							
62520000	20	21 1/4	5/8	62524750	24 3/4	26	5/8
11/16" CROSS SECTION ("C")							
68703000	3	4 3/8	11/16				
3/4" CROSS SECTION ("C")							
75003000	3	4 1/2	3/4	75010000	10	11 1/2	3/4
75003125	3 1/8	4 5/8	3/4	75010500	10 1/2	12	3/4
75003500	3 1/2	5	3/4	75010750	10 3/4	12 1/4	3/4
75003750	3 3/4	5 1/4	3/4	75011000	11	12 1/2	3/4
75004000	4	5 1/2	3/4	75012000	12	13 1/2	3/4
75004250	4 1/4	5 3/4	3/4	75012500	12 1/2	14	3/4
75004500	4 1/2	6	3/4	75013000	13	14 1/2	3/4
75005000	5	6 1/2	3/4	75013500	13 1/2	15	3/4
75005250	5 1/4	6 3/4	3/4	75013750	13 3/4	15 1/4	3/4
75005500	5 1/2	7	3/4	75014000	14	15 1/2	3/4
75006000	6	7 1/2	3/4	75014250	14 1/4	15 3/4	3/4
75006500	6 1/2	8	3/4	75014500	14 1/2	16	3/4
75007000	7	8 1/2	3/4	75014750	14 3/4	16 1/4	3/4
75007125	7 1/8	8 5/8	3/4	75016000	16	17 1/2	3/4
75007500	7 1/2	9	3/4	75016500	16 1/2	18	3/4
75008000	8	9 1/2	3/4	75018000	18	19 1/2	3/4
75008250	8 1/4	9 3/4	3/4	75020500	20 1/2	22	3/4
75008375	8 3/8	9 7/8	3/4	75022000	22	23 1/2	3/4
75008500	8 1/2	10	3/4	75022500	22 1/2	24	3/4
75009000	9	10 1/2	3/4	75025500	25 1/2	27	3/4
75009500	9 1/2	11	3/4	75026000	26	27 1/2	3/4
13/16" CROSS SECTION ("C")							
81209875	9 7/8	11 1/2	13/16				
7/8" CROSS SECTION ("C")							
87507750	7 3/4	9 1/2	7/8	87516250	16 1/4	18	7/8
87508500	8 1/2	10 1/4	7/8	87519250	19 1/4	21	7/8
87509750	9 3/4	11 1/2	7/8	87520000	20	21 3/4	7/8
87510000	10	11 3/4	7/8				
1" CROSS SECTION ("C")							
100002000	2	4	1	100004250	4 1/4	6 1/4	1
100003000	3	5	1	100006000	6	8	1
100004000	4	6	1	100007000	7	9	1

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001



Pressure Seals, Inc.

Phone: (877)-PSI-SEAL Toll Free
 Thousands of Seals, O-Rings, and U-Cups
 World-Class Service since 1976!



Standard Loaded Lip Seals Continued

Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C	Part Number	Inside Diameter A	Outside Diameter B	C.S./ Height C
1" CROSS SECTION ("C") continued							
100007500	7 1/2	9 1/2	1	100013000	13	15	1
100008000	8	10	1	100014000	14	16	1
100010000	10	12	1	100014500	14 1/2	16 1/2	1
100011750	11 3/4	13 3/4	1	100016000	16	18	1
100012000	12	14	1	100018500	18 1/2	20 1/2	1
100012500	12 1/2	14 1/2	1	100028000	28	30	1
1 1/16" CROSS SECTION ("C")							
106214000	14	16 1/8	1 1/16				
1 1/8" CROSS SECTION ("C")							
112510000	10	12 1/4	1 1/8	112512000	12	14 1/4	1 1/8

Pressure Seals Inc. 81 Commerce Way, South Windsor, CT 06074

Phone: (877)-PSI-SEAL Toll Free, In CT: (860) 282-9100, Fax: (860) 282-9001