



877-PSI-SEAL Toll Free

X-RINGS AND MULTISEALS

PSI PART#		Actual Dimensions				
X-Ring	Multiseal	C/S	Tol +/-	ID	Tol +/-	OD (Ref)
5444-142		0.046	0.003	0.050	0.004	0.142
4444-002		0.050	0.003	0.042	0.003	0.142
4444-003		0.060	0.003	0.056	0.004	0.176
5444-1.690		0.065	0.003	1.560	0.013	1.690
4444-004		0.070	0.003	0.070	0.005	0.210
4444-005		0.070	0.003	0.101	0.005	0.241
4444-006	4-006	0.070	0.003	0.114	0.005	0.254
4444-007	4-007	0.070	0.003	0.145	0.005	0.285
4444-008	4-008	0.070	0.003	0.176	0.005	0.316
4444-009	4-009	0.070	0.003	0.208	0.005	0.348
5444-359		0.070	0.003	0.219	0.005	0.359
4444-010	4-010	0.070	0.003	0.239	0.005	0.379
4444-011	4-011	0.070	0.003	0.301	0.005	0.441
4444-012	4-012	0.070	0.003	0.364	0.005	0.504
4444-013	4-013	0.070	0.003	0.426	0.005	0.566
4444-014	4-014	0.070	0.003	0.489	0.005	0.629
4444-015	4-015	0.070	0.003	0.551	0.007	0.691
4444-016	4-016	0.070	0.003	0.614	0.009	0.754
4444-017	4-017	0.070	0.003	0.676	0.009	0.816
4444-018	4-018	0.070	0.003	0.739	0.009	0.879
4444-019	4-019	0.070	0.003	0.801	0.009	0.941
4444-020	4-020	0.070	0.003	0.864	0.009	1.004
4444-021	4-021	0.070	0.003	0.926	0.009	1.066
4444-022	4-022	0.070	0.003	0.989	0.010	1.129
4444-023		0.070	0.003	1.051	0.010	1.191
4444-024	4-024	0.070	0.003	1.114	0.010	1.254
4444-025		0.070	0.003	1.176	0.011	1.316
4444-026		0.070	0.003	1.239	0.011	1.379
4444-027		0.070	0.003	1.301	0.011	1.441
4444-028	4-028	0.070	0.003	1.364	0.013	1.504
4444-029	4-029	0.070	0.003	1.489	0.013	1.629
4444-030		0.070	0.003	1.614	0.013	1.754
4444-031		0.070	0.003	1.739	0.015	1.879
4444-032		0.070	0.003	1.864	0.015	2.004
4444-034		0.070	0.003	2.114	0.018	2.254
	4-036	0.070	0.003	2.364	0.018	2.504
	4-039	0.070	0.003	2.739	0.020	2.879
4444-042		0.070	0.003	3.239	0.024	3.379
	4-043	0.070	0.003	3.489	0.024	3.629
	4-044	0.070	0.003	3.739	0.027	3.879
5444-377		0.072	0.003	0.237	0.004	0.379



877-PSI-SEAL Toll Free

X-RINGS AND MULTISEALS

PSI PART#		Actual Dimensions				
5444-372		0.075	0.003	0.222	0.005	0.372
5444-4.173		0.079	0.003	4.016	0.028	4.173
5444-323		0.089	0.003	0.145	0.005	0.323
5444-403		0.089	0.003	0.225	0.005	0.403
5444-481		0.089	0.003	0.303	0.005	0.481
5444-488		0.094	0.003	0.299	0.005	0.487
4444-102		0.103	0.003	0.050	0.005	0.256
4444-103		0.103	0.003	0.081	0.005	0.287
4444-104		0.103	0.003	0.112	0.005	0.318
4444-105		0.103	0.003	0.143	0.005	0.349
4444-106		0.103	0.003	0.175	0.005	0.381
4444-107		0.103	0.003	0.206	0.005	0.412
4444-108		0.103	0.003	0.237	0.005	0.443
4444-109	4-109	0.103	0.003	0.299	0.005	0.505
4444-110	4-110	0.103	0.003	0.362	0.005	0.568
5444-610		0.103	0.003	0.404	0.005	0.610
4444-111	4-111	0.103	0.003	0.424	0.005	0.630
4444-112	4-112	0.103	0.003	0.487	0.005	0.693
4444-113	4-113	0.103	0.003	0.549	0.007	0.755
5444-804		0.103	0.003	0.598	0.007	0.804
4444-114	4-114	0.103	0.003	0.612	0.009	0.818
5444-860		0.103	0.003	0.654	0.009	0.860
4444-115	4-115	0.103	0.003	0.674	0.009	0.880
4444-917		0.103	0.003	0.711	0.009	0.917
4444-116	4-116	0.103	0.003	0.737	0.009	0.943
4444-117	4-117	0.103	0.003	0.799	0.010	1.005
4444-118	4-118	0.103	0.003	0.862	0.010	1.068
4444-119	4-119	0.103	0.003	0.924	0.010	1.130
4444-120		0.103	0.003	0.987	0.010	1.193
4444-121	4-121	0.103	0.003	1.049	0.010	1.255
4444-122	4-122	0.103	0.003	1.112	0.010	1.318
4444-123		0.103	0.003	1.174	0.012	1.380
4444-124	4-124	0.103	0.003	1.237	0.012	1.443
4444-125	4-125	0.103	0.003	1.299	0.012	1.505
4444-126		0.103	0.003	1.362	0.012	1.568
4444-127	4-127	0.103	0.003	1.424	0.012	1.630
4444-128	4-128	0.103	0.003	1.487	0.012	1.693
4444-129	4-129	0.103	0.003	1.549	0.015	1.755
4444-130	4-130	0.103	0.003	1.612	0.015	1.818
4444-131		0.103	0.003	1.674	0.015	1.880
4444-132		0.103	0.003	1.737	0.015	1.943
4444-133	4-133	0.103	0.003	1.799	0.015	2.005



877-PSI-SEAL Toll Free

X-RINGS AND MULTISEALS

PSI PART#		Actual Dimensions				
4444-134		0.103	0.003	1.862	0.015	2.068
4444-135		0.103	0.003	1.925	0.017	2.131
4444-136	4-136	0.103	0.003	1.987	0.017	2.193
4444-137		0.103	0.003	2.050	0.017	2.256
4444-138		0.103	0.003	2.112	0.017	2.318
	4-140	0.103	0.003	2.237	0.017	2.443
	4-142	0.103	0.003	2.362	0.020	2.568
4444-143		0.103	0.003	2.425	0.020	2.631
4444-144	4-144	0.103	0.003	2.487	0.020	2.693
4444-145		0.103	0.003	2.550	0.020	2.756
4444-150		0.103	0.003	2.862	0.022	3.068
	4-152	0.103	0.003	3.237	0.024	3.443
4444-153		0.103	0.003	3.487	0.024	3.693
4444-154		0.103	0.003	3.737	0.028	3.943
4444-159	4-159	0.103	0.003	4.987	0.035	5.193
	4-160	0.103	0.003	5.237	0.035	5.443
	4-165	0.103	0.003	6.487	0.040	6.693
	4-166	0.103	0.003	6.737	0.040	6.943
4444-168		0.103	0.003	7.237	0.045	7.443
4444-201		0.139	0.004	0.171	0.005	0.449
4444-202		0.139	0.004	0.234	0.005	0.512
4444-203		0.139	0.004	0.301	0.005	0.579
4444-204	4-204	0.139	0.004	0.359	0.005	0.637
4444-205	4-205	0.139	0.004	0.421	0.005	0.699
4444-206	4-206	0.139	0.004	0.484	0.005	0.762
4444-207	4-207	0.139	0.004	0.546	0.007	0.824
4444-208	4-208	0.139	0.004	0.609	0.009	0.887
4444-209	4-209	0.139	0.004	0.672	0.009	0.950
4444-210	4-210	0.139	0.004	0.734	0.010	1.012
4444-211	4-211	0.139	0.004	0.796	0.010	1.074
4444-212	4-212	0.139	0.004	0.859	0.010	1.137
4444-213	4-213	0.139	0.004	0.921	0.010	1.199
4444-214	4-214	0.139	0.004	0.984	0.010	1.262
5444-1.280		0.139	0.004	1.002	0.010	1.280
4444-215	4-215	0.139	0.004	1.046	0.010	1.324
4444-216	4-216	0.139	0.004	1.109	0.012	1.387
4444-217	4-217	0.139	0.004	1.171	0.012	1.449
4444-218	4-218	0.139	0.004	1.234	0.012	1.512
4444-219	4-219	0.139	0.004	1.296	0.012	1.574
4444-220	4-220	0.139	0.004	1.359	0.012	1.637
4444-221	4-221	0.139	0.004	1.421	0.012	1.699
4444-222	4-222	0.139	0.004	1.484	0.015	1.762



877-PSI-SEAL Toll Free

X-RINGS AND MULTISEALS

PSI PART#		Actual Dimensions				
4444-223	4-223	0.139	0.004	1.609	0.015	1.887
4444-224	4-224	0.139	0.004	1.734	0.015	2.012
4444-225	4-225	0.139	0.004	1.859	0.018	2.137
4444-226	4-226	0.139	0.004	1.984	0.018	2.262
4444-227	4-227	0.139	0.004	2.109	0.018	2.387
4444-228	4-228	0.139	0.004	2.234	0.020	2.512
4444-229	4-229	0.139	0.004	2.359	0.020	2.637
4444-230	4-230	0.139	0.004	2.484	0.020	2.762
4444-231	4-231	0.139	0.004	2.609	0.020	2.887
4444-232	4-232	0.139	0.004	2.734	0.024	3.012
4444-233	4-233	0.139	0.004	2.859	0.024	3.137
4444-234	4-234	0.139	0.004	2.984	0.024	3.262
4444-235	4-235	0.139	0.004	3.109	0.024	3.387
4444-236	4-236	0.139	0.004	3.234	0.024	3.512
4444-237	4-237	0.139	0.004	3.359	0.024	3.637
4444-238	4-238	0.139	0.004	3.484	0.024	3.762
4444-239		0.139	0.004	3.609	0.028	3.887
	4-240	0.139	0.004	3.734	0.028	4.012
	4-241	0.139	0.004	3.859	0.028	4.137
4444-242		0.139	0.004	3.984	0.028	4.262
4444-244	4-244	0.139	0.004	4.234	0.030	4.512
	4-245	0.139	0.004	4.359	0.030	4.637
	4-248	0.139	0.004	4.734	0.030	5.012
	4-249	0.139	0.004	4.859	0.035	5.137
	4-250	0.139	0.004	4.984	0.035	5.262
	4-252	0.139	0.004	5.234	0.035	5.512
	4-253	0.139	0.004	5.359	0.035	5.637
	4-256	0.139	0.004	5.734	0.035	6.012
	4-259	0.139	0.004	6.234	0.040	6.512
	4-260	0.139	0.004	6.484	0.040	6.762
	4-262	0.139	0.004	6.984	0.040	7.262
5444-7.419		0.139	0.004	7.141	0.040	7.419
4444-264		0.139	0.004	7.484	0.045	7.762
4444-265	4-265	0.139	0.004	7.734	0.045	8.012
	4-269	0.139	0.004	8.734	0.050	9.012
	4-270	0.139	0.004	8.984	0.050	9.262
5444-9.434		0.139	0.004	9.156	0.050	9.434
4444-312		0.210	0.005	0.600	0.009	1.020
4444-313		0.210	0.005	0.662	0.009	1.082
4444-316		0.210	0.005	0.850	0.010	1.270
4444-320		0.210	0.005	1.100	0.012	1.520
4444-322		0.210	0.005	1.225	0.012	1.645



877-PSI-SEAL Toll Free

X-RINGS AND MULTISEALS

PSI PART#		Actual Dimensions				
4444-324	4-324	0.210	0.005	1.350	0.012	1.770
4444-325	4-325	0.210	0.005	1.475	0.015	1.895
4444-326	4-326	0.210	0.005	1.600	0.015	2.020
4444-327	4-327	0.210	0.005	1.725	0.015	2.145
4444-328	4-328	0.210	0.005	1.850	0.015	2.270
4444-329	4-329	0.210	0.005	1.975	0.018	2.395
4444-330	4-330	0.210	0.005	2.100	0.018	2.520
4444-331	4-331	0.210	0.005	2.225	0.018	2.645
4444-332	4-332	0.210	0.005	2.350	0.018	2.770
4444-333	4-333	0.210	0.005	2.475	0.020	2.895
4444-334	4-334	0.210	0.005	2.600	0.020	3.020
4444-335	4-335	0.210	0.005	2.725	0.020	3.145
4444-336	4-336	0.210	0.005	2.850	0.020	3.270
4444-337	4-337	0.210	0.005	2.975	0.024	3.395
4444-338	4-338	0.210	0.005	3.100	0.024	3.520
4444-339	4-349	0.210	0.005	3.225	0.024	3.645
4444-340	4-340	0.210	0.005	3.350	0.024	3.770
	4-341	0.210	0.005	3.475	0.024	3.895
	4-342	0.210	0.005	3.600	0.028	4.020
	4-343	0.210	0.005	3.725	0.028	4.145
4444-344	4-344	0.210	0.005	3.850	0.028	4.270
4444-345	4-345	0.210	0.005	3.975	0.028	4.395
4444-346	4-346	0.210	0.005	4.100	0.028	4.520
	4-347	0.210	0.005	4.225	0.030	4.645
	4-348	0.210	0.005	4.350	0.030	4.770
4444-349	4-349	0.210	0.005	4.475	0.030	4.895
	4-350	0.210	0.005	4.600	0.030	5.020
4444-352	4-352	0.210	0.005	4.850	0.030	5.270
	4-357	0.210	0.005	5.475	0.037	5.895
	Apr-25	0.210	0.005	6.350	0.040	6.770
	4-363	0.210	0.005	6.475	0.040	6.895
	4-366	0.210	0.005	7.225	0.045	7.645
	4-369	0.210	0.005	7.975	0.045	8.395
4444-425	4-425	0.275	0.006	4.475	0.033	5.025
4444-426		0.275	0.006			
4444-427		0.275	0.006			
4444-428	4-428	0.275	0.006	4.850	0.033	5.400
4444-429	4-429	0.275	0.006	4.975	0.037	5.525
4444-430		0.275	0.006	5.100	0.037	5.650
4444-431	4-431	0.275	0.006	5.225	0.037	5.775
4444-432	4-432	0.275	0.006	5.350	0.037	5.900
4444-433	4-443	0.275	0.006	5.475	0.037	6.025



877-PSI-SEAL Toll Free

X-RINGS AND MULTISEALS

PSI PART#		Actual Dimensions				
4444-434		0.275	0.006	5.600	0.037	6.125
4444-435		0.275	0.006	5.725	0.037	6.275
4444-436		0.275	0.006	5.850	0.037	6.400
4444-437	4-437	0.275	0.006	5.975	0.037	6.525
4444-438	4-438	0.275	0.006	6.225	0.040	6.775
4444-439	4-439	0.275	0.006	6.475	0.040	7.025
4444-440		0.275	0.006	6.725	0.040	7.275
4444-441	4-441	0.275	0.006	6.975	0.040	7.525
4444-442		0.275	0.006	7.225	0.045	7.775
4444-443	4-443	0.275	0.006	7.475	0.045	8.025
4444-444		0.275	0.006	7.725	0.045	8.275
4444-445	4-445	0.275	0.006	7.975	0.045	8.525
4444-446	4-446	0.275	0.006	8.475	0.055	9.025
4444-447		0.275	0.006	8.975	0.055	9.525
4444-448	4-448	0.275	0.006	9.475	0.055	10.025
4444-449		0.275	0.006	9.975	0.055	10.525
4444-450	4-450	0.275	0.006	10.475	0.060	11.025
4444-451	4-451	0.275	0.006	10.975	0.060	11.525
	4-453	0.275	0.006	11.975	0.060	12.525
4444-454		0.275	0.006	12.475	0.060	13.025
5444-6.525		0.330	0.004	5.975	0.040	6.635
***	tolerances for 2% shrink compounds only***					